

LAMN and HAMN: Coding EOD and Summary Stage

Jennifer Ruhl, MSHCA, RHIT, CCS, CTR NCI SEER, Public Health Analyst 2023 SEER Workshop



NATIONAL CANCER INSTITUTE

Appendix Staging

- LAMN and HAMN of the Appendix are in the following:
 - AJCC: Appendix chapter
 - For cases diagnosed 2023+, Appendix, Version 9
 - EOD: Appendix schema
 - For cases diagnosed 2023+, V9: 2023
 - Summary Stage: Appendix chapter
 - Applicable for 2018+



SEER ULINING CANCER DATA NTO DISCOVERY

Appendix Staging

- Up until 2010, Appendix was included with the Colon and Rectum schema
- In AJCC 7th edition (2010-2017), Appendix moved to its own chapter
- EOD Appendix schema very similar to the Colon and Rectum schema
- Summary Stage Appendix chapter very similar to the Colon and Rectum chapter

- Code 000 (Summary Stage in-situ)
 - In situ that is NOT LAMN or HAMN OR
 - HAMN that is confined by the muscularis propria
- Code 050 (Summary Stage in-situ)
 - Low-grade appendiceal mucinous neoplasm confined by the muscularis propria (LAMN)
 - Acellular mucin or mucinous epithelium may invade into muscularis propria



- Code 070 (Summary Stage Localized)
 - Lamina propria
 - Mucosa (intramucosal, NOS)
 - Muscularis mucosae
- This would be a Behavior /3, but Tis for AJCC
- Do not use this code for LAMN and HAMN



- Code 100 (Summary Stage Localized)
 - Submucosa
 - Confined to appendix, NOS
 - Confined to polyp, NOS
 - Localized, NOS
- Do not use this code for LAMN and HAMN



- Code 200 (Summary Stage L)
 - Muscularis propria

- Do not use this code for LAMN and HAMN
 - If a LAMN invades the muscularis propria, it is a /2 and coded 050
 - If a HAMN invades the muscularis propria, it is a /2 and coded 000



- Code 300 (Summary Stage L)
 - Can be used for LAMN tumors that have extended to
 - Extension through wall, NOS
 - Invasion through muscularis propria
 - Non-peritonealized pericolic tissues invaded
 - Perimuscular tissue invaded
 - Subserosa
 - Transmural, NOS
 - Wall, NOS



- Code 400 (Summary Stage RE)
 - Can be used for LAMN tumors that have extended to
 - Adjacent tissue(s), NOS
 - Connective tissue
 - Fat, NOS
 - Mesenteric fat
 - Mesentery
 - Mesoappendix
 - Pericolic fat



- Code 500 (Summary Stage RE)
 - Can be used for LAMN tumors that have
 - Invasion of/through serosa (mesothelium) (visceral peritoneum)
 - Note: For the 2025 updates, this code will be updated to include: Includes acellular mucin or mucinous epithelium involving the serosa of the appendix or serosa of the mesoappendix
 - You can use code 500 for this description now



- Code 600 (Summary Stage D)
 - For mucinous tumors only (ICD-O-3 codes 8480/3, 8481/3, and 8490/3 only)
 - Peritoneal involvement confined within right lower quadrant
 - WITHOUT further local extension
- Note: It was determined this code is an ERROR
 - This was leftover from AJCC 7th edition and will be removed for 2025 updates (SEER Version 3.2, release date October 2024)
 - Peritoneal involvement within right lower quadrant is peritoneal spread (EOD Mets 30)

- Code 600 (Summary Stage D)
 - For mucinous tumors only (ICD-O-3 codes 8480/3, 8481/3, and 8490/3 only)
 - Peritoneal involvement confined within right lower quadrant
 - WITHOUT further local extension

- This code and description will be deleted in the 2025 updates
 - Cases coded to 600 will be automatically converted to EOD PT 500 and EOD Mets 30 (if EOD Mets = 00, 10)
 - No registrar input required




- Code 700 (Summary Stage RE)
 - Abdominal wall
 - Adherent to other organs or structures
 - Greater omentum
 - Retroperitoneum (excluding fat)
 - Small intestine
 - Tumor found in adhesion(s) if microscopic examination performed



- Code 750 (Summary Stage D)
 - Mucinous tumors only (ICD-O-3 codes 8480/3, 8481/3, and 8490/3 only)*
 - Structures in code 700 with peritoneal involvement confined within right lower quadrant*
 - All tumors: Adrenal (suprarenal) gland, Bladder, Diaphragm, Fallopian tube, Fistula to skin, Gallbladder, Kidney, Liver, Other segment(s) of colon/rectum via serosa, Ovary, Ureter, Uterus, Further contiguous extension
- *Note: It was determined this description is an ERROR
 - This was leftover from AJCC 7th edition and will be removed for 2025 updates (SEER Version 3.2, release date October 2024)
 - This description is now in EOD mets (see code 30)



Case 1 scenario



- Behavior /3
- EOD Primary Tumor: 500 (Invasion of/through serosa (mesothelium) (visceral peritoneum))



Case Scenario 2

• Histology: HAMN




- Acellular mucin invades at least submucosa and focally suspicious for superficial invasion of the muscularis propria
- Behavior /2
- EOD Primary Tumor 000: High-grade appendiceal mucinous neoplasm confined by the muscularis propria (HAMN)

Case Scenario 3



- Low grade appendiceal mucinous neoplasm. Acellular mucin invades subserosa but does not extend to serosal surface
- Behavior /3
- EOD Primary Tumor 300: Invasion of subserosa

Case Scenario 4



- Behavior /2
- Code 050: Low-grade appendiceal mucinous neoplasm confined by the muscularis propria (LAMN), Acellular mucin or mucinous epithelium may invade into muscularis propria



Questions?



8/05/20XX



